ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/CEG/01 CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

	Report No.	ISSPL/FA/26-27/14108/A	**Date**	07/10/2026
1.	**Name & address of Customer**	**Rattan Organic Foods Private Limited** Villa No. 33, Samanvay Lata Nagar, Kalwar Road, Jaipur - 302012 Rajasthan		
2.	**Reference No.**	Your Sample Received Dated : 26/09/2026 (Reg. No. - 26-27/84892)		
3.	**Material Identification with details**	Organic Apple Cider Vinegar: Batch No. - NACV260803, MFG date - Aug- 2026, Jul-2028, Qty. - 250ml.		
4.	**Source / Location**	-		
5.	**Sampled By/Condition of Sample**	NA / OK		
6.	**Date of sample receipt**	26/09/2026		
7.	**Date of Sample Registration**	26/09/2026		
8.	**Date of sample Testing**	26/09/2026 To 07/10/2026		
9.	**Environmental Conditions**	Room Temperature (°C) : NA | Relative Humidity (%) : NA		

RESULTS

S.No.	Test Parameters	Test Method	Results	Units	Limits as per FSSR-2011
Chemical Testing					
	Food and Agricultural Products				
	Chemical Parameters:		-	-	
1	Acidity	FSSAI Lab Manual Fruit and Vegetable Products Method 2.4	6.90	%	3.75 (Min.)
2	Total Solids	FSSAI Lab Manual Fruit and Vegetable Products Method 2.1	2.97	%	1.5 (Min.)
3	Total ash content	FSSAI Lab Manual Fruit and Vegetable Products Method 11.3	0.38	%	0.18 (Min.)
4	Mineral acid	FSSAI Lab Manual Fruit and Vegetable Products Method 14.6	Complies	-	Free from Mineral acid

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

ISSPL LIMITED JAIPUR
07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org
CIN : U74120MH2014PTC254091

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/13/F-01
CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672|Email – lab@irclass.org |Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.		ISSPL/FA/26-27/14108/A		Date	07/10/2026
S.No.	**Test Parameters**	**Test Method**	**Results**	**Units**	**Limits as per FSSR-2011**
5	Colouring matter	FSSAI Manual food additives clause no 4.2	Complies	-	free from Colouring matter
	Mycotoxins:		-		
6	Total Aflatoxins	ISSPL/STP/C/011	BLQ (LOQ 0.5)	µg/kg	20.0 (Max.)
7	Aflatoxin B1	ISSPL/STP/C/011	BLQ (LOQ 0.5)	µg/kg	10.0 (Max.)
	Contaminants:	-	-	-	
8	Melamine	ISSPL/STP/C/014	BLQ (LOQ 0.1)	mg/kg	2.5 (Max.)
Metals:					
	Food and Agricultural Products				
9	Copper (as Cu)	ISSPL/STP/C/010	BLQ (LOQ 0.5)	mg/kg	30.0 (Max.)
10	Tin (as Sn)	ISSPL/STP/C/010	BLQ (LOQ 0.5)	mg/kg	250.0 (Max.)
11	Arsenic (as As)	ISSPL/STP/C/010	BLQ (LOQ 0.1)	mg/kg	1.1 (Max.)
12	Cadminum (as Cd)	ISSPL/STP/C/010	BLQ (LOQ 0.1)	mg/kg	1.5 (Max.)
13	Mercury (as Hg)	ISSPL/STP/C/010	BLQ (LOQ 0.1)	mg/kg	1.0 (Max.)
14	Lead (as Pb)	ISSPL/STP/C/010	BLQ (LOQ 0.1)	mg/kg	2.5 (Max.)
	Preservatives:		-		
15	Benzoates (as Benzoic acid)	ISSPL/STP/C/041	BLQ (LOQ 10.0)	mg/kg	1000.0 (Max.)
16	Sorbates (as Sorbic acid)	ISSPL/STP/C/041	BLQ (LOQ 10.0)	mg/kg	1000.0 (Max.)
	Synthetic Colours:		-	-	
17	Brilliant Blue FCF	ISSPL/STP/C/040	BLQ (LOQ 10.0)	mg/kg	100.0 (Max.)
18	Carmoisine	ISSPL/STP/C/040	BLQ (LOQ 10.0)	mg/kg	100.0 (Max.)
19	Erythrosine	ISSPL/STP/C/040	BLQ (LOQ 10.0)	mg/kg	50.0 (Max.)
20	Indigo Carmine	ISSPL/STP/C/040	BLQ (LOQ 10.0)	mg/kg	100.0 (Max.)
21	Tartrazine	ISSPL/STP/C/040	BLQ (LOQ 10.0)	mg/kg	100.0 (Max.)
Pesticides residues:					
	Food and Agricultural Products				
22	2,4-D Amine Salt	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
23	2,4-Dichlorophenoxy Acetic Acid	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
24	Abamectin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
25	Acephate	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

ISSPL LIMITED JAIPUR
07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/13/F-04
CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672|Email – lab@irclass.org |Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.		ISSPL/FA/26-27/14108/A		Date	07/10/2026
S.No.	**Test Parameters**	**Test Method**	**Results**	**Units**	**Limits as per FSSR-2011**
26	Acetamiprid	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
27	Alachlor	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
28	Aldicarb	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
29	Aldrin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
30	Alpha cypermethrin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
31	Alpha naphthyl Acetic Acid	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
32	Ametroctradin	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
33	Ametyrn	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
34	Anilophos	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
35	Atrazine	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
36	Azimsulfuron	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
37	Azoxystrobin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
38	Benfuracarb	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
39	Bensulfuron Methyl	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
40	Bentazone	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
41	Beta Cyfluthrin	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
42	Bifenthrin	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
43	Bispyribac Sodium	ISSPL/STP/C/008	BLQ(LOQ	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/CF/6.01 CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.issplab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.		ISSPL/FA/26-27/14108/A		Date	07/10/2026
S.No.	**Test Parameters**	**Test Method**	**Results**	**Units**	**Limits as per FSSR-2011**
43			0.005)		
44	Bitertanol	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
45	Boscalid	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
46	Buprofezin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
47	Butachlor	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
48	Captafol	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
49	Captan	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
50	Carbaryl	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
51	Carbendazim	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
52	Carbofuran	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
53	Carbosulfan	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
54	Carfentrazone Ethyl	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
55	Carpropamid	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
56	Cartap Hydrochloride	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
57	Chlorantraniliprole	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
58	Chlordane (cis & trans)	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
59	Chlorfenapyr	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
60	Chlorfluazuron	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

ISSPL LIMITED JAIPUR
07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/13/5-01
CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.		ISSPL/FA/26-27/14108/A		Date	07/10/2026
S.No.	**Test Parameters**	**Test Method**	**Results**	**Units**	**Limits as per FSSR-2011**
61	Chlorimuron ethyl	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
62	Chlormequat Chloride (CCC)	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
63	Chlorothalonil	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
64	Chlorpropham	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
65	Chlorpyrifos	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
66	Chlothianidin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
67	Chromafenozide	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
68	Cinmethylene	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
69	Clodinafop-propargyl	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
70	Clomazone	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
71	Copper Hydroxide (Copper determined as elemental copper)	ISSPL/STP/C/010	BLQ (LOQ 0.5)	mg/kg	30.0 (Max.)
72	Copper Oxychloride(Copper determined as elemental copper)	ISSPL/STP/C/010	BLQ (LOQ 0.5)	mg/kg	30.0 (Max.)
73	Copper Sulphate (Copper determined as elemental copper)	ISSPL/STP/C/010	BLQ (LOQ 0.5)	mg/kg	30.0 (Max.)
74	Cuprous Oxide (Copper determined as elemental copper)	ISSPL/STP/C/010	BLQ (LOQ 0.5)	mg/kg	30.0 (Max.)
75	Cyantraniliprole	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
76	Cyazofamid	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/13/F-01
CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672|Email – lab@irclass.org |Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.	ISSPL/FA/26-27/14108/A	Date	07/10/2026

S.No.	Test Parameters	Test Method	Results	Units	Limits as per FSSR-2011
77	Cyflumetofen	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
78	Cyhalofop-butyl	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
79	Cymoxanil	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
80	Cypermethrin (sum of isomers) (Fat soluble residue)	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
81	DDT(all isomers)	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.05 (Max.)
82	Deltamethrin (Decamethrin)	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
83	Diafenthiuron	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
84	Diazinon	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
85	Dichlorvos (DDVP)	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
86	Diclofop	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
87	Diclosulam	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
88	Dicofol (sum of o,p' and p,p' isomers)	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
89	Dieldrin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
90	Difenoconazole	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
91	Diflubenzuron	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
92	Dimethoate	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
93	Dimethomorph	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
94	Dinocap	ISSPL/STP/C/008	BLQ (LOQ	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

ISSPL LIMITED JAIPUR

07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/13/F-04
CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.	ISSPL/FA/26-27/14108/A	Date	07/10/2026

S.No.	Test Parameters	Test Method	Results	Units	Limits as per FSSR-2011
94			0.005)		
95	Dinotefuran	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
96	Dithianon	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
97	Dithiocarbamates as Cs2	ISSPL/STP/C/008	BLQ(LOQ 0.025)	mg/kg	0.025 (Max.)
98	Diuron	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
99	Dodine	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
100	Edifenphos	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
101	Emamectin Benzoate	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
102	Endosulfan	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
103	Epoxyconazole	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
104	Ethephon	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
105	Ethion	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
106	Ethofenprox (Etofenprox)	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
107	Ethoxysulfuron	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
108	Ethyl Parathion	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
109	Ethylene bis-dithiocarbamates	ISSPL/STP/C/008	BLQ (LOQ 0.025)	mg/kg	0.025 (Max.)
110	Etoxazole	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
111	Famoxadone	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

ISSPL LIMITED JAIPUR
07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/13/F-01
CLG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.		ISSPL/FA/26-27/14108/A		Date	07/10/2026
S.No.	**Test Parameters**	**Test Method**	**Results**	**Units**	**Limits as per FSSR-2011**
112	Fenamidone	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
113	Fenarimol	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
114	Fenazaquin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
115	Fenitrothion	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
116	Fenobucarb (BPMC)	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
117	Fenoxaprop-p-ethyl	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
118	Fenpropathrin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
119	Fenpyroximate	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
120	Fenthion	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
121	Fenvalerate (Fat soluble residue)	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
122	Fipronil	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
123	Flonicamid	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
124	Fluazifop-p-butyl	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
125	Flubendiamide	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
126	Flucetosulfuron	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
127	Fluchloralin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
128	Flufenacet	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
129	Fluopicolide	ISSPL/STP/C/008	BLQ (LOQ	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

ISSPL LIMITED JAIPUR

07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/13/F-04
CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.	ISSPL/FA/26-27/14108/A	Date	07/10/2026

S.No.	Test Parameters	Test Method	Results	Units	Limits as per FSSR-2011
129			0.005)		
130	Fluopyram and its metabolites	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
131	Flupyradifurone and its metabolites	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
132	Flusilazole	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
133	Fluvalinate	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
134	Fluxapyroxad	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
135	Fomesafen	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
136	Forchlorfenuron	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
137	Formothion	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
138	Fosetyl-Al	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
139	Glufosinate Ammonium	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
140	Glyphosate	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
141	Halosulfuron methyl	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
142	Haloxyfop-R Methyl	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
143	Heptachlor	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
144	Hexaconazole	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
145	Hexazinone	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
146	Hexythiazox	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

ISSPL LIMITED JAIPUR

07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/13/F-01 CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.		ISSPL/FA/26-27/14108/A		Date	07/10/2026
S.No.	Test Parameters	Test Method	Results	Units	Limits as per FSSR-2011
147	Imazamox	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
148	Imazethapyr	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
149	Imidacloprid	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
150	Indoxacarb	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
151	Iodosulfuron Methyl Sodium	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
152	Iprobenfos (Kitazin)	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
153	Iprodione	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
154	Isoprothiolane	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
155	Isoproturon	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
156	Kasugamycin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
157	Kresoxim Methyl	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
158	Lambda cyhalothrin	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
159	Lindane (Gamma-HCH)	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
160	Linuron	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
161	Lufenuron	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
162	Malathion	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
163	Mancozeb as Cs2	ISSPL/STP/C/008	BLQ(LOQ 0.025)	mg/kg	0.025 (Max.)
164	Mandipropamid	ISSPL/STP/C/008	BLQ (LOQ	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

ISSPL LIMITED JAIPUR
07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/13/F-01 CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.		ISSPL/FA/26-27/14108/A		Date	07/10/2026
S.No.	**Test Parameters**	**Test Method**	**Results**	**Units**	**Limits as per FSSR-2011**
164			0.005)		
165	Mepiquat Chloride	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
166	Mesosulfuron Methyl	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
167	Metaflumizone	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
168	Metalaxyl	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
169	Metalaxyl-M	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
170	Methabenzthiazuron	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
171	Methomyl	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
172	Methyl Chlorophenoxy Acetic Acid (MCPA)	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
173	Methyl Parathion	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
174	Metiram as Cs2	ISSPL/STP/C/008	BLQ(LOQ 0.025)	mg/kg	0.025 (Max.)
175	Metolachlor	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
176	Metrafenone	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
177	Metribuzin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
178	Metsulfuron Methyl	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
179	Milbemectin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
180	Monocrotophos	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
181	Myclobutanil	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/12/F-01
CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672|Email – lab@irclass.org |Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.	ISSPL/FA/26-27/14108/A	Date	07/10/2026

S.No.	Test Parameters	Test Method	Results	Units	Limits as per FSSR-2011
182	Novaluron	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
183	Orthosulfamuron	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
184	Oxadiargyl	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
185	Oxadiazon	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
186	Oxydemeton-Methyl	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
187	Oxyfluorfen	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
188	Paclobutrazol	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
189	Paraquat dichloride (Determined as Paraquatcations)	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
190	Penconazole	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
191	Pencycuron	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
192	Pendimethalin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
193	Penoxuslum	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
194	Permethrin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
195	Phenthoate	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
196	Phorate	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
197	Phosalone	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
198	Phosphamidon	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

ISSPL LIMITED JAIPUR

07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/13/F-01
CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672|Email – lab@irclass.org |Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.		ISSPL/FA/26-27/14108/A		Date	07/10/2026
S.No.	Test Parameters	Test Method	Results	Units	Limits as per FSSR-2011
199	Picoxystrobin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
200	Pinoxaden	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
201	Pirimiphos-methyl	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
202	Pretilachlor	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
203	Profenofos	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
204	Prohexadione calcium	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
205	Propanil	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
206	Propaquizafop	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
207	Propargite	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
208	Propiconazole	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
209	Propineb as Cs2	ISSPL/STP/C/008	BLQ(LOQ 0.025)	mg/kg	0.025 (Max.)
210	Pymetrozine	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
211	Pyraclostrobin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
212	Pyrazosulfuron ethyl	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
213	Pyridalyl	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
214	Pyriproxyfen	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
215	Pyrithiolac Sodium	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
216	Quinalphos	ISSPL/STP/C/008	BLQ (LOQ	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

ISSPL LIMITED JAIPUR
07/10/2026
Parmeshwar Lal
Asstt. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/13/F-01
CLG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672|Email – lab@irclass.org |Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.		ISSPL/FA/26-27/14108/A		Date	07/10/2026
S.No.	**Test Parameters**	**Test Method**	**Results**	**Units**	**Limits as per FSSR-2011**
216			0.005)		
217	Quizalofop ethyl	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
218	Quizalofop-P-tefuryl	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
219	Simazine	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
220	Sodium Aceflourofen	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
221	Spinetoram and its metabolites	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
222	Spinosad	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
223	Spiromesifen	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
224	Spirotetramat	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
225	Sulfentrazone and its metabolite	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
226	Sulfosulfuron	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
227	Sulfoxaflor	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
228	Sum of benomyl and carbendazim expressed as carbendazim	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
229	Tebuconazole	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
230	Tembotrione	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
231	Tetraconazole	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
232	Thiacloprid	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
233	Thiamethoxam	ISSPL/STP/C/008	BLQ(LOQ	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

ISSPL LIMITED JAIPUR

07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/13/F-01
CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.	ISSPL/FA/26-27/14108/A	Date	07/10/2026

S.No.	Test Parameters	Test Method	Results	Units	Limits as per FSSR-2011
233			0.005)		
234	Thifluzamide	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
235	Thiocyclam Hydrogen Oxalate	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
236	Thiodicarb	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
237	Thiometon	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
238	Thiophanate-Methyl	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
239	Tolfenpyrad	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
240	Topramezone	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
241	Triacontanol	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
242	Triadimefon	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
243	Triallate	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
244	Triasulfuron	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
245	Triazophos	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
246	Trichlorfon	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
247	Tricyclazole	ISSPL/STP/C/008	BLQ(LOQ 0.005)	mg/kg	0.01 (Max.)
248	Tridemorph	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
249	Trifloxystrobin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
250	Trifluralin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

ISSPL LIMITED JAIPUR
07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
TC-5843
Doc. No. ISSPL/QP/13/F.01 CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT 1

ULR : TC584326000009458F

Report No.		ISSPL/FA/26-27/14108/A		Date	07/10/2026
S.No.	**Test Parameters**	**Test Method**	**Results**	**Units**	**Limits as per FSSR-2011**
251	Validamycin	ISSPL/STP/C/008	BLQ (LOQ 0.005)	mg/kg	0.01 (Max.)
252	Zineb as Cs2	ISSPL/STP/C/008	BLQ(LOQ 0.025)	mg/kg	0.025 (Max.)
Biological Testing:					
	Food and Agricultural Products				
253	Yeast & Mould Count	IS 5403 :1999	<10	cfu/g	NMT 1X10^2
254	Enterobacteriaceae	IS 17112 (Part-2): 2019	<10	cfu/g	NMT 1X10^2
255	E. ColiO157	ISO : 16654 : 2001	Absent	Per 25g	Absent
256	Staphylococcus aureus	IS 5887 (Part-8 Sec-1) : 2023	<10	cfu/g	NMT 10
257	Salmonella	IS 5887 (Part-3 Sec-1): 2020	Absent	Per 25g	Absent
258	Listeria monocytogens	IS 14988 (Part-1) : 2020	Absent	Per 25g	Absent
259	Vibrio Cholera	ISO 21872 (Part-1): 2017	Absent	Per 25g	Absent

Note: The results related only to the item tested.

BLQ= Below Limit of Quantification, LOQ= Limit of Quantification, CFU=Colony Forming Unit, NMT=Not More Than

Remark-1: Sample conforms to limit as per FSSR-2011 with respect to above tested parameters.

End of the Report

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

ISSPL LIMITED JAIPUR
07/10/2026
Parmeshwar Lal
Asstt. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
Doc. No. ISSPL/QP/13/F-01
CEG Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT 2

	Report No.	ISSPL/FA/26-27/14108/B	**Date**	07/10/2026
1.	**Name & address of Customer**	**Rattan Organic Foods Private Limited** Villa No. 33, Samanvay Lata Nagar, Kalwar Road, Jaipur - 302012 Rajasthan		
2.	**Reference No.**	Your Sample Received Dated : 26/09/2026 (Reg. No. - 26-27/84892)		
3.	**Material Identification with details**	Organic Apple Cider Vinegar: Batch No. - NACV260803, MFG date - Aug- 2026, Jul-2028, Qty. - 250ml.		
4.	**Source / Location**	-		
5.	**Sampled By/Condition of Sample**	NA / OK		
6.	**Date of sample receipt**	26/09/2026		
7.	**Date of Sample Registration**	26/09/2026		
8.	**Date of sample Testing**	26/09/2026 To 07/10/2026		
9.	**Environmental Conditions**	Room Temperature (°C) : NA | Relative Humidity (%) : NA		

RESULTS

S.No.	Test Parameters	Test Method	Results	Units	Limits as per FSSR-2011
Chemical Testing					
	Food and Agricultural Products				
1	Any foreign substances	ISSPL/STP/C/020	Complies	-	free from any foreign substances
2	Filled Capacity	FSSAI Lab Manual Fruit and Vegetable Products Method No. 1.3	99.60	g/100g	90.0 (Min.)
Metals:					
	Food and Agricultural Products				
3	Methyl Mercury (Calculated as element)	ISSPL/STP/C/044	BLQ (LOQ 0.1)	mg/kg	0.25 (Max.)
Pesticides residues:					
	Food and Agricultural Products				
4	Ferbam as Cs2	ISSPL/STP/C/008	BLQ(LOQ 0.01)	mg/kg	0.01 (Max.)

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

07/10/2026
Parmeshwar Lal
Assist. Manager
Authorised Signatory

Note: This Report is subject to the terms and conditions mentioned overleaf
HO: 52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072 www.irclass.org

ISSPL LIMITED
Testing Laboratory
Doc. No. ISSPL/QP/13/F-01 CEC Tower, 1st & 2nd Floor, B-11G, Industrial Area, Malviya Nagar, Jaipur, Rajasthan -302017: India
Tel: 0141-4805672 | Email – lab@irclass.org | Website : www.isspllab.com

TEST REPORT 2

Report No.	ISSPL/FA/26-27/14108/B	Date	07/10/2026

Note: The results related only to the item tested.

BLQ= Below Limit of Quantification, LOQ= Limit of Quantification, CFU=Colony Forming Unit, NMT=Not More Than

Remark-1: Sample conforms to limit as per FSSR-2011 with respect to above tested parameters.

End of the Report

07/10/2026
Reena Gupta
Authorized Signatory Microbiology

ISSPL LIMITED JAIPUR
07/10/2026
Parmeshwar Lal
Asstt. Manager
Authorised Signatory